



**SOPPEC**  
LINE

Technima 





## LINE MARKING PAINTS

---

The line marking paints designed by TECHNIMA meet the multiple requirements of durable, high-performance marking.

Whether the lines are to be marked indoors or outdoors, the TRACING products by TECHNIMA provide the solution for the vast majority of needs.

Our marking paint range is composed of 4 products, each of them dedicated to different needs: Tracing 500 Driver, Tracing Pro, Tracing Clear Coat and Tracing Sport. All our line marking paint in aerosol are fitting to the Soppec Driver trolley thanks to the specific PureSPRAY nozzle.

---

### ENVIRONMENT AND SAFETY

- Our products are designed without CMR compounds (carcinogenic, mutagenic and reprotoxic...).
- Without Hexan et Methanol, Toluen et Xylen.
- Without heavy metals such as Lead (PB), Cadmium (Cd), ...
- Without Environmental Hazard statement n° 412: "toxic to aquatic organisms long-term damage to the ecosystem".
- Our labels are in compliance with EU regulation n° 1272/2008 and with its adaptation.

## ADVANTAGES

- Use head down, adjust the position of the aerosol in the equipment used to give an application height that produces the desired line width.
- BEFORE USE: shake the can vigorously in an upside down position to thoroughly mix the paint, continue shaking even after having clearly heard the ball bearings.
- AFTER USE: purge head up (until gas only comes out) to clean the valve and nozzle.



## STORAGE & HANDLING

Aerosols should be stored at a temperature of between 15°C and 25°C and between 50% and 60% relative humidity.

Storage time before use, if stored correctly as above: 5 years

Do not expose to temperatures above 50°C.

Keep away from sources of ignition, heat and sunlight.

As with any other handling and storage operations, NO SMOKING is very strongly recommended.

## PACKAGING INFORMATION

Aerosols of 650 ml gross volume and a net volume of 500 ml/ Tracing 500ml are delivered on film-wrapped palettes of 75 boxes, each box containing 12 aerosols.

All aerosols of 1000 ml gross volume and 750ml net volume (Tracing 750, Tracing Pro and Tracing Clear Coat and Tracing Sport) are delivered on film-wrapped palettes of boxes, each box containing 6 aerosols.


## QSE CERTIFIED MANAGEMENT SYSTEM

Our integrated QSE management system is based on 3 certifications, ISO 9001 for Quality, ISO 14001 for the Environment and ISO 45001 for Health and Safety.

Within these 3 complementary fields, TECHNIMA own approach is based on risk analysis and prevention, continuous performance improvements, regulatory compliance and customers satisfaction.

Since 2004, our triple certification has been successfully renewed every 3 years.

The range is adapted to the needs for precision, visibility and durability.



# TRACING PRO

Certified by



[750 ml]

The SOPPEC TRACING® PRO Floor Line Marking Paint was designed to secure workplace through safety signage. It allows you to make your markings outdoor as well as indoor, with high quality and exceptional resistance to clogging. It guarantees a precise spray and a high flow rate over a longer distance than its competitors and allows you to carry out your markings faster and at a lower cost. It is exclusively used with the Soppec Driver line marking trolley.

## ON STOCK

**WHITE**  
I52000O



**YELLOW**  
I52002O



**BLACK**  
I52003O




**BLUE**  
I52001O



**RED**  
I52004O



**GREY**  
I52007O



**GREEN**  
I52005O





## PRODUCT BENEFITS

- Operated with the SOPPEC DRIVER™ application trolley, the SOPPEC TRACING PRO™ aerosol marking paint provides you with optimal flow and coverage for a 1,2 km/h application speed (or 10 m within 30 seconds).
- As it dries quickly, it stands today as the fastest aerosol line marking system on the market to apply sharp edge lines with no need to clean the trolley.
- The exclusive formula developed within our laboratory in France secures an outstanding performance
- Resistance to clogging far ahead of all competitors.
- 90 m coverage within 75 mm line width with 1 aerosol, on smooth surface (concrete) at optimal speed.
- Touch dry in 11 minutes , light traffic ready in 60 minutes and heavy traffic ready within 24 hours.
- Brightness, contrast, durability, it is an industrial grade marking paint that withstands the most severe conditions (UV ,solvents, pedestrian, car or forklift truck traffic) indoor or outdoor.

- NSF compliant (Storage & food contact), Xylene free certified, with no chlorinated solvents nor aromatic components.
- Delivered as 750 ml net aerosol cans, the optimal content for efficient line marking execution.
- The pre mounted exclusive and versatile spray nozzle fits on the SOPPEC DRIVER™ application trolley or can be used by hands to spray on stencils.
- Recognizable with clear cap and colored collar , the user always knows what paint color is in the aerosol.

## SPECIFICATIONS

Thermoplastic acrylic resin binder. Satin finish. Inorganic and organic pigments free from heavy metals such as lead or cadmium 1000 ml aerosol can / 750 ml net. Per box of 6 per color. Manufactured in France.

## Health and safety

Safety data sheets are available free of charge on our website [www.technimanordic.com](http://www.technimanordic.com) CLP labelling with two pictograms.



Part number	152000O	152001O	152002O	152003O	152004O	152005O	152007O
<b>Color</b>	WHITE	BLUE	YELLOW	BLACK	RED	GREEN	GREY
<b>RAL</b>	9016	5017	1023	9017	3020	6024	7045



**Technima Nordic**  
Krokslätts torg 5 SE-431 37 Mölndal  
**SWEDEN**  
T: +46 (031) 102 190  
E: [info@technimanordic.com](mailto:info@technimanordic.com)

**Technima Central**  
Kreuzerweg 77955 Ettenheim  
**GERMANY**  
T: +49(0) 7822 789 00 10  
E: [info@technimacentral.com](mailto:info@technimacentral.com)

**Technima Benelux**  
Hambakenwetering 22A  
5231 DC 's- Hertogenbosch  
**NETHERLANDS**  
T: +31 736 314 345  
E: [info@technimabenelux.com](mailto:info@technimabenelux.com)

**CIA Technima SUD EUROPA**  
SRL- Via Santa Brigida,  
43- 10060 Roletto (TO)  
**ITALY**  
T: +39 0121 542 542  
E: [ciasudeuropa@technima.com](mailto:ciasudeuropa@technima.com)

**Technima France**  
Z.I. 16440 NERSAC  
**FRANCE**  
Tél. +33 (0)5 45 90 93 12  
Fax. +33 (0)5 45 90 58 67  
[technimafrance@technima.com](mailto:technimafrance@technima.com)

[www.technima.com](http://www.technima.com)

